


Series 4, Free-standing fridge, 186.2 x 59.5 cm, Stainless steel look KSN36VLDGG



Optional accessories

KSZ39AL00 Connection set inox

The freestanding fridge with VitaFresh 0°C for prolonged freshness, spacious capacity, quiet operation, and flexible door trays to fit even tall bottles.

- **XXL capacity:** our biggest Single Door capacity ever with much more space inside.
- **Total No Frost:** no water drops or condensation on the fridge's back wall.
- **VitaFresh XXL 0°C:** temperatures just above 0°C ensure your food stays fresh for up to 14 days.
- **Glossy white backwall:** clean, bright design with easy-to-clean durability.
- **Flex Interior:** adjust your fridge interior thanks to flexible trays and height-adjustable shelves.

Technical Data

Energy Efficiency Class¹:D
 Average annual energy consumption in kilowatt hour per year (kWh/a): 138 kWh/annum
 Sum of volume of frozen compartments: 0 l
 Sum of volume of chill compartments: 402 l
 Airborne acoustical noise emissions :39 dB(A) re 1pW
 Airborne acoustical noise emission class:C
 Built-in / Free-standing: Freestanding
 Door panel options: Not possible
 Height: 1862 mm
 Width of the appliance:595 mm
 Depth: 663 mm
 Net weight:68.2 kg
 Door hinge: Left reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 240 cm
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 1
 Shelves for Bottles: Yes
 EAN code:4242005591039
 Brand: Bosch
 Product name / Commercial code: KSN36VLDGG
 Frost free system: Fridge
 Installation typology:N/A



¹ Scale of Energy Efficiency Classes from A to G

Series 4, Free-standing fridge, 186.2 x 59.5 cm, Stainless steel look KSN36VLDGG

The freestanding fridge with VitaFresh 0°C for prolonged freshness, spacious capacity, quiet operation, and flexible door trays to fit even tall bottles.

- Home Connect Features: iService Remote, Remote Monitoring and Control

¹ Scale of Energy Efficiency Classes from A to G

² Scale of Energy Efficiency Classes from A to G

³ Some of the features displayed can be accessed only if the device is connected to a Home Connect Account and a SingleKey ID account via the Internet. Home Connect is a service of Home Connect GmbH. For more information on Home Connect, visit www.home-connect.com.

Highlights

- Dimensions: 1862x595x663 mm
- Energy Efficiency Class¹: D
- Sum of volume of chill compartments: 402 l
- Airborne acoustical noise emissions : 39 dB(A) re 1pW
- Freshness system: VitaFresh
- List of warnings: Open door of fridge compartment
- Net weight: 68.2 kg

General

- Door hinge: Left reversible
- Door handle type: Mounted
- Type of control setting devices: Button, Via app
- Energy Efficiency Class²: D
- Average annual energy consumption in kilowatt hour per year (kWh/a): 138 kWh/annum
- Sum of volume of chill compartments: 402 l
- Sum of volume of frozen compartments: 0 l
- Airborne acoustical noise emissions : 39 dB(A) re 1pW
- Airborne acoustical noise emission class: C
- Climate Class: Extended temperate, Subtropical, Temperate, tropical

Size and weight

- Dimensions: 1862x595x663 mm
- Dimensions of the packed product (HxWxD): 1940x665x790 mm
- Depth for installation: 600 mm
- Net weight: 68.2 kg
- Length electrical supply cord: 240 cm

Specific Features

- Freshness system: VitaFresh
- Total No Frost
- Flex Door
- SuperCooling
- Type of bottle rack: 1 bottle support grid
- Type of display: 7-segment display
- List of warnings: Open door of fridge compartment

Cooling

- Number of shelves in fridge compartment: 4
- Number of Adjustable Shelves in fridge compartment: 1
- Number of Door Bins - Refrigerator: 6
- Light Wattage - Refrigerator: LED with soft start


Freezing

Connectivity


- Home Connect³

**Series 4, Free-standing fridge, 186.2
x 59.5 cm, Stainless steel look
KSN36VLDGG**


Measurements in mm




Measurements in mm



Measurements in mm



A: Air outlet $\geq 200 \text{ cm}^2$



B: Air outlet $\geq 200 \text{ cm}^2$

