N 50, FULLY-INTEGRATED DISHWASHER, 60 CM, VARIABLE HINGE
S175HUX14G





The practical dishwasher indicates when it's running, varioHinge provides solution for special built-in situations.

- √ Info Light – A light projected onto the floor shows you that the dishwasher is in operation.
- √ Vario Hinge – Install your dishwasher almost anywhere.
- √ Chef 70°C – The pro programme that vanishes stubborn residues.
- √ Favourite – Easily access your favourite settings or programmes.
- √ Smart Start – Automatically picks the best start time based on your preferences.

Optional accessories

Z7710X0	inlet and outlet hose extention
Z780BI02	decorative strips stainless steel 81,5cm
Z788BI00	Connection rail for divided furniture

Features

Technical Data

Energy Efficiency Class[1]: C
Energy Consumption for 100 cycles Eco Programme[2]: 75 kWh/100 cycles
Maximum number of place settings: 14
The water consumption of the eco programme in liters per cycle: 9.0 l
Programme duration[3]: .....4:55 h
Airborne acoustical noise emissions : ..... 46 dB(A) re 1pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: ..... Built-in
Height of removable worktop: .....0 mm
Required niche size for installation (HxWxD): 815-875 x 600 x 550 mm
Depth with open door 90 degree: ..... 1150 mm
Adjustable feet: ..... Yes - all from front
Maximum adjustability feet: ..... 60 mm
Adjustable plinth: ..... Both horizontal and vertical
Net weight: ..... 33.2 kg
Gross weight: .....35.3 kg
Connection Rating: .....2400 W
Fuse protection: .....10 A
Voltage: .....220-240 V
Frequency: .....50; 60 Hz
Length electrical supply cord: ..... 175 cm
Plug type: ..... GB plug
Length inlet hose: ..... 165 cm
Length outlet hose: ..... 190 cm
EAN code: 4242004291923
Installation typology: ..... Full-integrated

4 242004 291923

1 Scale of Energy Efficiency Classes from A to G
2 Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
3 Duration of programme Eco 50 °C

N 50, FULLY-INTEGRATED DISHWASHER, 60 CM, VARIABLE HINGE
S175HVX14G

Features

Performance
- Energy Efficiency Class[1]: C
- Energy[2] / Water[3]: 75 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration[4]: 4:55 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes / functions
- 6 programmes: Eco 50 °C, Auto 45-65 °C , Chef 70 °C, Classic 60 °C , Glass 40 °C , Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Power Zone, Extra Speed
- Easy Clean Programme
- Add-On functions via Home Connect app: Extra Hygiene, Silence on Demand

Flexible design elements
- Heat exchanger - Hygienic and efficient drying
- AquaSensor®
- DosageAssist detergent dispenser
- Efficient SilentDrive BLDC motor
- Self-cleaning filter system with 3 piece corrugated filter
- Stainless steel/Polinox interior

Innovations and technology
- Flex I baskets
- Flex 2 Drawer
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in bottom basket
- Upper rack cup shelf

Design features
- Home Connect - Wi Fi enabled, for dishwasher control
- Push button top controls
- English GB
- InfoLight (Red) - Light projection on the floor
- Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Acoustic end of cycle indicator
- Time delay (3, 6 or 24 hours)

New for 2021
- Aqua Stop: Neff's warranty in case of water damage – throughout the lifetime of the appliance.*
- VarioHinge 50mm
- Neff Sparkle - glass care system
- incl. Steam protection for worktop
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

[1] Scale of Energy Efficiency Classes from A to G

[2] Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

[3] Water consumption in litres per cycle (in programme Eco 50 °C)

[4] Duration of programme Eco 50 °C

* Please find warranty terms under https://www.siemens-home.bsh-group.com/uk/customer-service/warranty/additional-warranties

N 50, FULLY-INTEGRATED DISHWASHER, 60 CM, VARIABLE HINGE
S175HUX14G

Dimensioned drawings



