


Series 2, Electric hob, 60 cm, surface mount without frame PKE61RAA8B



Optional accessories

HEZ32WA00	Wireless food thermometer
HEZ390090	Wok Set consisting of 3 Items
HEZ392617	Intermediate bottom
HEZ9FE280	Iron pan Ø 18 / 28 cm

The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- The handy ChildLock locks the control panel to prevent accidental changes in settings.
- **TouchSelect Basic:** Selection of the desired cooking zone and easy setting of the desired power level.

Technical Data

Appliance type:	Cooking zone ceramic
Built-in / Free-standing:	 Built-in
Heating type:	Electric hob
Number of cooking zones:	4
Required niche size for installation (HxWxD):	45 x 560-560 x 490-500 mm
Width of the appliance:	592 mm
Dimensions:	 45x592x522 mm
Dimensions of the packed product (HxWxD):	 100 x 750 x 590 mm
Net weight:	7.3 kg
Gross weight:	 8.0 kg
Residual heat indicator:	 Separate
Location of control panel:	 Front
Basic surface material:	 Ceramic glass
Color of surface:	Black
Length electrical supply cord:	 100.0 cm
EAN code:	4242005280384
Voltage:	 220-240 V
Frequency:	 50; 60 Hz



4 242005 280384

Series 2, Electric hob, 60 cm, surface mount without frame PKE61RAA8B

The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 180 mm, 2 KW

Usage convenience

- TouchSelect Basic: control the power with imprinted +/- touch buttons.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.
- Quick Stop: quickly switch off a cooking zone with one longer touch.

Design

- 60 cm: space for 4 pots or pans.
- Frameless design

Safety


- Control panel lock: prevent unintended activation of the hob.
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Automatic safety shut off: for safety reasons, heating stops after a preset time if not used.

Installation

- Dimensions of the product (HxWxD mm): 45 x 592 x 522
- Required niche size for installation (HxWxD mm) : 45 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 6.4 KW
- Power cord: 1 m, Cable included

**Series 2, Electric hob, 60 cm, surface
mount without frame
PKE61RAA8B**

measurements in mm



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.