N 50, BUILT-IN WARMING DRAWER, 60 X 14 CM, GRAPHITE-GREY
N1AHA01G0B



A 14cm high warming drawer that can link with a 45cm compact oven to fit perfectly into the 60 cm oven niche.

- √ Stepless temperature control - The warming drawer makes choosing easy with our stepless temperature control from 40°-80°C.
- √ Installation with compact appliance – combine your drawer with any 45 cm appliance

Features

Technical Data

Built-in / Free-standing: ..... Built-in
Maximum number of espresso cups: 64
Dimensions: ..... 140x594x540 mm
Dimensions of the packed product (HxWxD): . 210 x 660 x 660 mm
Required niche size for installation (HxWxD): . 140 x 560 x 550 mm
EAN code: 4242004262688
Fuse protection: .....6 A
Voltage: .....220-240 V
Frequency: .....50-60 Hz
Plug type: ..... GB plug
Included accessories: ..... 1 x anti-slip mat

4 242004 262688

N 50, BUILT-IN WARMING DRAWER, 60 X 14 CM, GRAPHITE-GREY
N1AHA01G0B

Features

Design
- Elongated designed dials
- User-friendly electronics: extremely
- easy and comfortable operation
- Cavity inner surface: stainless steel
- Push-Pull opening mechanism


Programmes/functions
- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods
- Loading up to 15 kg
- Can accommodate up to:
- -14plates
- -64 espresso cups

Accessories
- 1 x anti-slip mat

Performance/technical information
- Cavity volume: 23 l
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual


N 50, BUILT-IN WARMING DRAWER, 60 X 14 CM, GRAPHITE-GREY
N1AHA01G0B

Dimensioned drawings



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer.
An intermediate floor is not required.

measurements in mm



measurements in mm