

CVI338RX3



Product Family	Wine Cooler
Installation	Built-in
Built-In Niche	82-87 cm
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Standard
Hinge position	Right



Wine cellar compartment features



Number of fixed shelves	2
Number of removable shelves	3
Shelves material	Wood
Removable shelves on telescopic guide rails	Yes
Type of internal light	LED
Air filter	Activated charcoal filter

Programme / Functions



Control setting	Touch control	Control lock	Yes
Controls	Inner, in the cellar compartment	Lighting forced ON	In a maximum period
Display	LED	Fan forced ON	Yes
Functions display	Temperature alarm, Temperature value	Temperature Alarm	Yes
Power on lamp	Yes	Door open alarm	Yes

Technical Features

Adjustable temperature zones	2	Number of compressors	1
Independent cooling systems	2	Compressor type	Low vibration compressor
Number of door glasses	2	Refrigerant gas type	R600a
		Refrigerant Quantity (gr)	20 g

Temperature range	5-20 °C	Foam agent	Cyclopentane
Type of temperature control	Electronic	Metal panel on the back of the fridge	Metal
Anti-UV door glass	Yes	Adjustable feet	2 Front + 2 Rear
Integrated heating element	Yes		

Performance / Energy Label


A			
Category of the household refrigerating appliance model	Refrigerator - cellar, cellar and wine storage appliances	Cellar compartment gross storage volume	114 l
Energy efficiency class	A	Max Capacity (bottles 0,75lt)	38
Energy efficiency index EEI	51.1 %	Total storage volume	114 l
Annual energy consumption	143 KWh	Total gross volume	114 l
Storage volume fresh food compartment	114 l	Climatic class	SN, N, ST
Cellar compartment net storage volume	103 l	Noise level	38 dB(A) re 1pW

Performance / Energy Label NEW

G			
Annual energy consumption	140 KWh/year	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	114 l
Energy efficiency class	G	Climatic class	SN, N, ST
Airborne acoustical noise emission class	C	EEI	165 %
Total volume	114 l		

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Nominal power	40 W	Frequency (Hz)	50 Hz
Current	0.4 A	Power supply cable length	150 cm



Symbols glossary

	A: Product drying performance, measured from A+++ to D / G depending on the product family		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	LED display: to show programmes, functions and options selected and the time to the end of the cycle.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Built-in niche		Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.
	Energy efficiency class G		